



**WET/DRY VACUUM  
CLEANERS AND  
ASH VACUUM  
CLEANERS**



[einhell.de](http://einhell.de)  
>>>



## **RIVAL ANY DIRT.** **COARSE DIRT – FINE DIRT – LIQUIDS – INDOORS – OUTDOORS.**

**The right solution for all your cleaning emergencies.**

For dust or water, the home or the workshop, small or big areas, it makes no difference – Einhell wet and dry vacuum cleaners rival any dirt. Make your home a place that radiates comfort again as quick as a flash.



## THIS IS HOW:

**Find out** more at [einhell.de](http://einhell.de),  
**register** in your customer  
account and **apply** for the  
warranty. Further information  
is available at  
[www.einhell.de/warranties](http://www.einhell.de/warranties)

**einhell.de**  
>>>

## THE EINHELL GUARANTEE PROMISE.

We develop our products so that you can make everything possible. Our priority here is functionality, safety and quality. That is our promise and this is backed up by our guarantees too.

- **30 Day Money-Back Guarantee**  
For 100% satisfaction with your Power X-Change device.
- **Power X-Change Battery Warranty**  
Warranty extension for Power X-Change batteries to 2 years.
- **Einhell 2+1 Product Warranty**  
Warranty extension for all Einhell products to a total of 3 years.







BMW i Motorsport  
Official Main Partner



THE ENABLERS PRESENT:  
**THE POWER TEAM**  
IN THE FORMULA E!



**POWER X-CHANGE**

THE MOST COMPETENT BATTERY SYSTEM FOR  
CORDLESS FREEDOM FOR POWER TOOLS AND GARDEN.



## **CORDLESS FREEDOM THANKS TO INDEPENDENT RECHARGEABLE BATTERY TECHNOLOGY.**



**Cordless – gives you freedom on your project.**

For working freely and without restriction – without the nuisance and danger of dragging a cable behind you, without noise, fume emissions and the strain of maneuvering heavy petrol-powered equipment.

## **SAVE SMART.**

- **JUST ONE RECHARGEABLE BATTERY**
- **FOR ALL**
- **IN THE WORKSHOP AND GARDEN**



You need just a single rechargeable battery to be able to operate every tool you use in the workshop, home and garden. This means that once you have one rechargeable battery at home, in future you just buy tools without a battery. That is smart, saves stacks of money and helps protect the environment.

## EASY – FLEXIBLE. 1 BATTERY. 1000 POSSIBILITIES.



**Fewer batteries to charge up. Fewer chargers.  
Less searching for the right rechargeable battery and the right charger.  
Less chaos in your storage area.**

That is perfect! The right rechargeable battery is always ready to hand. Tedious searching is a thing of the past. And on top of that, you can be sure of having a tidy basement or storeroom. When you have finished your project, simply take the battery out of the tool and insert it in the charger – and that means in the right one straightaway, because you only need the one! The next time it takes just one easy step and you are ready for action and can get started on your project immediately.



### THE ENABLERS RECOMMEND:



**CORDLESS FREEDOM.**



**SYSTEMATIC SAVINGS.**



**EASY – FLEXIBLE.**



**POWER X-CHANGE**



## ACTIVE BATTERY MANAGEMENT SYSTEM. INTELLIGENT ELECTRONIC CONTROL SYSTEM

The computer-assisted Active Battery Management System permanently monitors and controls all the safety-related processes of the electrical components and associated hardware. This results in a whole range of advantages:

- **LONGER BATTERY SERVICE LIFE**
- **MAXIMISED RUNNING TIMES**
- **OPTIMISED TOOL POWER**
- **INCREASED SAFETY**



**TWIN-PACK®**

18V + 18V = 36V

**TECHNOLOGY**

## TWIN-PACK® TECHNOLOGY. 18 V + 18 V = 36 V.

If a device needs more power than provided by a single 18 V rechargeable battery, we simply add a second battery so we generate  $18\text{ V} + 18\text{ V} = 36\text{ V}$ . We call that Twin-Pack® Technology.

If the voltage (V) gets doubled, the power (W) gets doubled, too.

Double Twin-Pack Technology in turn makes it possible to work for even longer still without the nuisance of recharging. In this case, four rechargeable batteries are used. When the power of the first two batteries finally runs out, the system automatically switches over to the two additional batteries.



## POWER X-CHANGE PLUS.

Rechargeable batteries vary not just in terms of running time and weight. What is also critically important is the power that they provide.

Power X-Change PLUS Technology makes more power available from the same number of cells, so that you can work with plenty of power even on challenging applications as well.

If, for example, you want to use your angle grinder for cutting work, the running time (see Ah rating) is generally not critical. Sufficient power, on the other hand, is. A car is a useful comparison. Uphill or when overtaking, more power, in other words more HP respectively kW, is needed.



## BRUSHLESS ENERGY – MORE EFFICIENT WORK.

Various Power X-Change devices are equipped with brushless motors. They offer significant advantages compared to carbon brush motors

- MORE POWER
- LONGER RUNNING TIMES
- LONGER SERVICE LIFE
- MORE COMPACT DESIGN
- MAINTENANCE-FREE



- + 25% more power\*
- + 50% more operating time\*
- + 100% more service life\*

\* Approximate values in comparison to conventional carbon brush motors

## CORDLESS WET AND DRY VACUUM CLEANERS



**EXPERT PLUS**



**CLASSIC**

	<b>TE-VC 36/30 Li S - Solo</b>	<b>TC-VC 18/20 Li S - Solo</b>
PXC battery voltage / capacity	2x 18 V / -	18 V / -
Suction power	150 mbar / 100 mbar (BOOST / ECO)	80 mbar
Tank volume	30 l	20 l
Suction hose length / diameter	250 cm / 36 mm	150 cm / 36 mm
Product weight	8.0 kg (excl. battery)	3.6 kg (excl. battery)
Speed settings	2	1
Also suitable for wet vacuuming	•	•
Heavy-duty suction hose	•	-
Number of batteries / number of chargers	0 / 0	0 / 0
Suction tube	Telescopic, stainless steel	3-piece, plastic
Nozzles	Crevice, upholstery and combination nozzle (1x each)	Crevice, upholstery and combination nozzle (1x each)
Filters	Foam, pleated filter, dirt bag (1x each)	Foam, pleated filter, dirt bag (1x each)
Packaging	Colour box	Colour box
Article number	23.471.40	23.471.30

## CORDLESS WET AND DRY VACUUM CLEANERS


**EXPERT**

	TE-VC 18/10 Li - Solo
PXC battery voltage / capacity	18 V / -
Suction power	90 mbar
Tank volume	10 l
Suction hose length / suction tube length	200 cm
Product weight	3.1 kg (excl. battery)
Speed settings	1
Also suitable for wet vacuuming	•
Number of batteries / number of chargers	0 / 0
Nozzles	2-in-1 crevice/brush nozzle and 2-in-1 upholstery/universal nozzle (1x each)
Filters	Foam, pleated filter, dirt bag (1x each)
Wall bracket	-
Packaging	Colour box
Article number	23.471.60


## CORDLESS HANDHELD VACUUM CLEANER


**EXPERT PLUS**

	TE-VC 18 Li - Solo
PXC battery voltage / capacity	18 V / -
Suction power	42 mbar
Tank volume	0.54 l
Suction hose length / suction tube length	46.5 cm
Product weight	0.9 kg (excl. battery)
Speed settings	1
Also suitable for wet vacuuming	-
Number of batteries / number of chargers	0 / 0
Nozzles	Crevice, upholstery, floor nozzle (1x each)
Filters	1 washable synthesis filter
Wall bracket	•
Packaging	Colour box
Article number	23.471.20

## BATTERIES AND CHARGERS.

Choose the battery that is best suited to your application:



### ■ POWER = PERFORMANCE

Powerful: To be ready for the level of performance required in every application there is a choice of batteries with various power values (W).

### ■ CAPACITY = OPERATING TIME

Enduring: The various capacities (Ah) let you match the battery's operating time with each project.

	Power max.	Art. No.
4.0 - 6.0 Ah Power X-Change Plus Battery 18 V	1350 W	45.115.02
5.2 Ah Power X-Change Plus Battery 18 V	1260 W	45.114.37
3.0 Ah Power X-Change Plus Battery 18 V	900 W	45.115.01



4.0 Ah Power X-Change Battery 18 V	900 W	45.113.96
2.5 Ah Power X-Change Battery 18 V	720 W	45.115.16
2.0 Ah Power X-Change Battery 18 V	450 W	45.113.95



2x 3.0 Ah Power X-Change Twin Charger Starter Kit	45.120.83
2x 3.0 Ah Power X-Change Starter Kit	45.120.98
4.0 Ah Power X-Change Starter Kit	45.120.42
3.0 Ah Power X-Change Starter Kit	45.120.41
2.5 Ah Power X-Change Starter Kit	45.120.97



Power X-Boost Charger 6 A	45.120.64
Power X-Twin Charger 3 A	45.120.69
Power X-Fast Charger 4 A	45.121.03








## WHERE TECHNICAL KNOW-HOW MEETS ENVIRONMENTAL PROTECTION.

Each of us is responsible for the environment in which we live. Even as individuals we have a valuable role to play. Our contribution: know-how and technology for making efficient use of energy.



### EFFICIENT TECHNOLOGY

ECO Power stands for the use of efficient technology. For example, our products feature the latest technical solutions for appreciably improving the ratio of energy input and yield.



### MAKING EFFICIENT USE OF ENERGY

Our new ECO Power wet and dry vacuum cleaners are equipped with the efficient Silent Bi-Turbo Motor. It is both extremely powerful and economical. These merits are achieved by the use of two fan impellers which cut the cleaner's energy consumption by half. With its huge continuous duty rating of 600 hours and high suction power of up to 220 mbar the ECO Power wet and dry vacuum cleaners belong to the be in their class.



### A TIDY SOLUTION ALL ROUND

Our 2-way system for suction and cooling air provides for separate cooling of the motor while optimizing the cleaner's suction and filtering performance. The motor remains free of dirt, which means that it enjoys a longer working life and generates less noise.




### INTELLIGENT PLUG-IN CONNECTIONS FOR LONG LASTING PERFORMANCE

Projecting edges in standard suction tubes cause air turbulence and concentrations of dirt with a resulting drop in performance. The optimised plug-in connections on our ECO Power wet and dry vacuum cleaners ensure a resistance-free flow of air with energy and time-saving suction power guaranteed over a long time.



### EXTREMELY QUIET BUT NOT DUE TO MODESTY

The interplay of numerous technical improvements with the ECO Power principle and its efficient use of energy reduces the strain not only on the environment but also on the user in the form of unnecessary noise. The ECO Power wet and dry vacuum cleaners are extremely quiet and also perfect for the living area.



	In the past	Today
Suction power (mbar)	230	230
Power rating (Watt)	1500	800
Annual energy costs* (€)	44	22

\* Calculated on the basis of average data in July 2017 with a weekly vacuuming time of 2 hours







## WET AND DRY VACUUM CLEANERS

**EXPERT**

### AUTOMATIC DEVICE SOCKET

When the connected consumer device is in operation, the vacuum cleaner switches on automatically

### BLOW CONNECTION

Enables hard-to-reach areas to be blow-cleaned with ease as well

### STURDY STAINLESS STEEL TELESCOPIC TUBE

Intelligent plug-in connections reduce air turbulence and therefore increase the efficiency of the equipment

Wet and Dry Vacuum Cleaner  
TE-VC 2340 SAC

### WATER DRAIN SCREW

The water suctioned up can be discharged quickly and effortlessly



### FILTER CLEANING SYSTEM

The integrated Filter Cleaning System ensures constant suction performance

### HEAVY-DUTY HOSE

The 3.00 m suction hose is flexible and resistant to foot traffic at the same time

### LARGE WHEELS AND CASTORS

Thanks to the large wheels and castors the vacuum cleaner is easy to move even on uneven ground

### ACCESSORY HOLDER

So the accessories are ready to hand and ready for action at all times



## WET AND DRY VACUUM CLEANERS

**INCL.**  
NUMEROUS  
ACCESSORIES



	TE-VC 2340 SAC	TE-VC 2340 SA	TE-VC 2230 SAC
Mains connection	220 - 240 V ~ 50/60 Hz	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50/60 Hz
Rated input	1200 W S1	1200 W S1	1150 W S1
Suction power	230 mbar	230 mbar	220 mbar
Tank volume	40 l	40 l	30 l
Suction hose length / diameter	300 cm / 36 mm	300 cm / 36 mm	300 cm / 36 mm
Cable length	500 cm	500 cm	500 cm
Product weight	11.0 kg	10.9 kg	10.3 kg
Cable holder	•	•	•
Blow connector	•	•	•
Accessory mount	•	•	•
Water drain screw	•	•	•
Automatic socket	•	•	•
ECO Power	•	•	•
Filter cleaning technology	•	-	•
Heavy-duty suction hose	•	-	•
Suction tube	Telescopic, stainless steel	Telescopic, stainless steel	Telescopic, stainless steel
Nozzles	Combination, crevice, upholstery nozzle and drill adapter (1x each)	Combination, crevice and upholstery nozzle (1x each)	Combination, crevice and upholstery nozzle (1x each)
Filters	Foam, HEPA filter, dirt bag, dual filter bag (1x each)	Foam, pleated filter, dirt bag (1x each)	Foam, pleated filter, dirt bag, dual filter bag (1x each)
Article number	23.424.50	23.423.80	23.424.40

## WET AND DRY VACUUM CLEANERS

**INCL.**  
NUMEROUS  
ACCESSORIES



	TE-VC 2230 SA	TE-VC 1925 SA	TE-VC 1820
Mains connection	230 V ~ 50 Hz	230 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	1150 W S1	800 W S1	750 W S1
Suction power	220 mbar	190 mbar	180 mbar
Tank volume	30 l	25 l	20 l
Suction hose length / diameter	300 cm / 36 mm	300 cm / 36 mm	250 cm / 36 mm
Cable length	500 cm	500 cm	400 cm
Product weight	10.2 kg	8.1 kg	4.2 kg
Cable holder	•	•	•
Blow connector	•	•	•
Accessory mount	•	•	•
Water drain screw	•	•	–
Automatic socket	•	•	–
ECO Power	•	•	•
Filter cleaning technology	–	–	–
Heavy-duty suction hose	–	–	–
Suction tube	Telescopic, stainless steel	Telescopic, stainless steel	2-piece, stainless steel
Nozzles	Combination, crevice and upholstery nozzle (1x each)	Combination, crevice and upholstery nozzle (1x each)	Combination, crevice and upholstery nozzle (1x each)
Filters	Foam, pleated filter, dirt bag (1x each)	Foam, pleated filter, dirt bag (1x each)	Foam, pleated filter, dirt bag (1x each)
Article number	23.423.63	23.423.54	23.423.41

## WET AND DRY VACUUM CLEANERS

**CLASSIC**

### AUTOMATIC DEVICE SOCKET

When the connected consumer device is in operation, the vacuum cleaner switches on automatically

### BLOW CONNECTOR

Enables hard-to-reach areas to be blow-cleaned with ease as well

Wet and Dry Vacuum Cleaner  
TC-VC 1930 SA

### WATER DRAIN SCREW

The water suctioned up can be discharged quickly and effortlessly

### STAINLESS STEEL TANK

Rust-proof and robust – and therefore really long-lasting

### LARGE WHEELS AND CASTORS

Thanks to the large wheels and castors the vacuum cleaner is easy to move even on uneven ground

### ACCESSORY HOLDER

So the accessories are ready to hand and ready for action at all times





## WET AND DRY VACUUM CLEANERS

**INCL.**  
NUMEROUS  
ACCESSORIES



	TC-VC 1930 SA	TC-VC 1930 S	TC-VC 1825
Mains connection	220 - 240 V ~ 50/60 Hz	220 - 240 V ~ 50/60 Hz	220 - 240 V ~ 50/60 Hz
Rated input	1500 W S1	1500 W S1	1250 W S1
Suction power	190 mbar	190 mbar	180 mbar
Tank volume	30 l	30 l	25 l
Suction hose length / diameter	250 cm / 36 mm	250 cm / 36 mm	250 cm / 36 mm
Cable length	300 cm	300 cm	250 cm
Product weight	6.8 kg	5.7 kg	5.0 kg
Cable holder	•	•	•
Blow connector	•	•	•
Accessory mount	•	•	•
Water drain screw	•	•	-
Automatic socket	•	-	-
Suction tube	2-piece, plastic	2-piece, plastic	2-piece, plastic
Nozzles	Combination, crevice nozzle (1x each)	Combination, crevice nozzle (1x each)	Combination, crevice nozzle (1x each)
Filters	Foam filter, pleated filter (1x each)	Foam filter, pleated filter (1x each)	Foam, pleated filter, dirt bag (1x each)
Ash filter	-	-	-
Article number	23.421.90	23.421.88	23.424.30

## WET AND DRY VACUUM CLEANERS

**INCL.**  
NUMEROUS  
ACCESSORIES



	TC-VC 1820 SA	TC-VC 1820 S	TC-VC 1820 S Kit
Mains connection	220 - 240 V ~ 50/60 Hz	220 - 240 V ~ 50/60 Hz	220 - 240 V ~ 50/60 Hz
Rated input	1250 W S1	1250 W S1	1250 W S1
Suction power	180 mbar	180 mbar	180 mbar
Tank volume	20 l	20 l	20 l
Suction hose length / diameter	150 cm / 36 mm	150 cm / 36 mm	150 cm / 36 mm
Cable length	250 cm	300 cm	250 cm
Product weight	4.5 kg	4.5 kg	6.0 kg
Cable holder	•	•	•
Blow connector	•	•	•
Accessory mount	•	•	•
Water drain screw	-	-	-
Automatic socket	•	-	-
Suction tube	3-piece, plastic	3-piece, plastic	3-piece, plastic
Nozzles	Combination, crevice nozzle (1x each)	Combination, crevice nozzle (1x each)	Combination, crevice nozzle (1x each)
Filters	Foam, pleated filter, dirt bag (1x each)	Foam, pleated filter, dirt bag (1x each)	Foam, pleated filter, dirt bag (1x each)
Ash filter	-	-	• (12 l)
Article number	23.424.25	23.421.67	23.421.75

## WET AND DRY VACUUM CLEANERS

**INCL.**  
NUMEROUS  
ACCESSORIES



	TC-VC 1815 S	TC-VC 1815	TC-VC 1812 S
Mains connection	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50/60 Hz	220 - 240 V ~ 50 Hz
Rated input	1250 W S1	1250 W S1	1250 W S1
Suction power	180 mbar	180 mbar	180 mbar
Tank volume	15 l	15 l	12 l
Suction hose length / diameter	150 cm / 36 mm	150 cm / 36 mm	150 cm / 36 mm
Cable length	250 cm	250 cm	250 cm
Product weight	3.6 kg	4.2 kg	3.2 kg
Cable holder	•	•	•
Blow connector	•	•	•
Accessory mount	•	•	•
Water drain screw	-	-	-
Automatic socket	-	-	-
Suction tube	3-piece, plastic	3-piece, plastic	3-piece, plastic
Nozzles	Combination, crevice nozzle (1x each)	Combination, crevice nozzle (1x each)	Combination, crevice nozzle (1x each)
Filters	Foam, pleated filter, dirt bag (1x each)	Foam, pleated filter, dirt bag (1x each)	Foam, pleated filter, dirt bag (1x each)
Ash filter	-	-	-
Article number	23.423.90	23.402.90	23.423.70

## WHICH NOZZLE FOR WHAT?



### CREVICE NOZZLE:

For hard-to-reach areas, coarse dirt (e.g. kitchen unit, corners in the workshed, between car seats).



### UPHOLSTERY NOZZLE:

Dirt in upholstery and carpets (e.g. car seats, living area or scratch-sensitive objects)



### COMBINATION NOZZLE:

Water, dirt on the floor (e.g. workshed, bathroom, living area, utility room)

## WHICH FILTER FOR WHAT?



### PLEATED FILTER – for dry-vacuuming:

The pleated filter cleans the exhaust air from the wet and dry vacuum cleaner and protects the motor from dirt. It is suitable for dry-vacuuming.



### NON-WOVEN BAG – for dry-vacuuming:

A non-woven bag has more layers than a paper dirt collector bag and therefore delivers better filtering results. It is therefore particularly suitable for allergy sufferers. Other convincing features are the water-repellent and tear-resistant material as well as the longer life you can expect from your vacuum cleaner.



### DIRT BAG – for dry-vacuuming:

The Einhell dirt bag set is available to fit every Einhell wet and dry vacuum cleaner. It is perfectly designed for each area of use and offers high tear-resistance and outstanding filter performance.



### FOAM FILTER – for wet-vacuuming:

The Einhell foam filter protects the motor of the wet and dry vacuum cleaner against coarse dirt and also from wetness during wet vacuuming.



## WET AND DRY VACUUM CLEANERS ACCESSORIES



	Dual Dust Filter System	Pleated Filter	Pleated Filter with Lid
Items supplied	HEPA filter, dual filter bag (1x each)	1 pc	1 pc
HEPA class	H13 (> 0.3 µm)	-	-
Suitable for	see lists on pages 28/29	see lists on pages 28/29	see lists on pages 28/29
Article number	23.512.50	23.511.10	23.511.13

## WET AND DRY VACUUM CLEANERS ACCESSORIES



	Long Crevice Nozzle	Small Universal Nozzle	Universal Floor Nozzle	Hard Upholstery Brush
Items supplied	1 pc	1 pc	1 pc	1 pc
Suitable for	see lists on pages 28/29	see lists on pages 28/29	see lists on pages 28/29	see lists on pages 28/29
Article number	23.512.05	23.512.10	23.512.15	23.512.20

## WET AND DRY VACUUM CLEANERS ACCESSORIES



	<b>Soft Upholstery Brush</b>	<b>Round Carpet Brush</b>	<b>Set of Nozzles I</b>	<b>Set of Nozzles II</b>
Items supplied	1 pc	1 pc	2 nozzles, 1 brush	1 nozzle, 2 brushes
Suitable for	see lists on pages 28/29	see lists on pages 28/29	see lists on pages 28/29	see lists on pages 28/29
Article number	23.512.25	23.512.30	23.512.35	23.512.55

## WET AND DRY VACUUM CLEANERS ACCESSORIES



	<b>Car Cleaning Set</b>	<b>Extension Hose</b>	<b>Accessories Kit</b>
Items supplied	1 hose, 2 nozzles, 2 brushes, 1 adapter	1 hose, 4 adapters	1 suction hose, 1 hose, 2 nozzles, 1 adapter
Suction hose length	300 cm	300 cm	200 cm
Suction hose diameter	36 mm	36 mm	64 mm
Suitable for	see lists on pages 28/29	see lists on pages 28/29	see lists on pages 28/29
Article number	23.512.45	23.620.00	23.620.10

## WET AND DRY VACUUM CLEANERS ACCESSORIES



	Fine Ash Filter	Ash Filter
Capacity	18 l	12 l
Items supplied	1 pc	1 pc
Suction hose length	100 cm	100 cm
Suction hose diameter	36 mm	36 mm
Suitable for	see lists on pages 28/29	see lists on pages 28/29
Article number	23.516.12	23.516.06

## ASSIGNMENT OF ACCESSORIES TO WET AND DRY VACUUM CLEANERS

		23.512.50	23.511.10	23.511.13	23.511.40	23.511.32	23.511.35	23.511.95	23.511.90	23.511.85	23.511.80	23.511.70	23.511.50	23.511.52	23.511.65	23.511.59	23.512.60	23.512.05	23.512.10	23.512.15	23.512.20	23.512.25	23.512.30	23.512.35	23.512.55	23.512.45	23.620.00	23.620.10	23.516.12	23.516.06	
		Dual Dust Filter System (1 pc)	Pleated Filter (1 pc)	Pleated Filter with Lid (1 pcs)	Fabric Filter (1 pc)	Foam Filters (5 pcs)	Foam Filters 10 l (5 pcs)	Non-woven Bags 40 l (5 pcs)	Non-woven Bags 25 l (5 pcs)	Non-woven Bags 15 l (5 pcs)	Dirt Bags 40 l (5 pcs)	Dirt Bags 30 l (5 pcs)	Dirt Bags 25 l (5 pcs)	Dirt Bags 20 l (5 pcs)	Dirt Bags 15 l (5 pcs)	Dirt Bags 12 l (5 pcs)	Dirt Bags 10 l (5 pcs)	Long Crevice Nozzle (1 pc)	Small Universal Nozzle (1 pc)	Universal Floor Nozzle (1 pc)	Hard Upholstery Brush (1 pc)	Soft Upholstery Brush (1 pc)	Round Carpet Brush (1 pc)	Set of Nozzles I (3-piece)	Set of Nozzles II (3-piece)	Car Cleaning Set (6-piece)	Extension Hose (5-piece)	Accessories Kit (5-piece)	Fine Ash Filter 18 l (1 pc)	Ash Filter 12 l (1 pc)	
TE-VC 2340 SAC	23.424.50	●	-	●	●	●	-	●	-	-	●	-	-	-	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●
TE-VC 2340 SA	23.423.80	●	-	●	●	●	-	●	-	-	●	-	-	-	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●
TE-VC 36/30 Li S	23.471.40	-	-	●	●	●	-	●	-	-	-	●	-	-	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	-	-
TE-VC 2230 SAC	23.424.40	●	-	●	●	●	-	●	-	-	-	●	-	-	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●
TE-VC 2230 SA	23.423.63	●	-	●	●	●	-	●	-	-	-	●	-	-	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●
TC-VC 1930 SA	23.421.90	-	-	●	●	●	-	●	-	-	-	●	-	-	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●
TC-VC 1930 S	23.421.88	-	-	●	●	●	-	●	-	-	-	●	-	-	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●
TE-VC 1925 SA	23.423.54	●	-	●	●	●	-	●	-	-	-	-	●	-	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●
TC-VC 1825	23.424.30	-	-	●	●	●	-	●	-	-	-	-	●	-	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●

● Use possible

● Restricted use possible

- Use not possible

## ASSIGNMENT OF ACCESSORIES TO WET AND DRY VACUUM CLEANERS

		23.512.50	23.511.10	23.511.13	23.511.40	23.511.32	23.511.35	23.511.95	23.511.90	23.511.85	23.511.80	23.511.70	23.511.50	23.511.52	23.511.65	23.511.59	23.512.60	23.512.05	23.512.10	23.512.15	23.512.20	23.512.25	23.512.30	23.512.35	23.512.55	23.512.45	23.620.00	23.620.10	23.516.12	23.516.06	
		Dual Dust Filter System (1 pc)	Pleated Filter (1 pc)	Pleated Filter with Lid (1 pc)	Fabric Filter (1 pc)	Foam Filters (5 pcs)	Foam Filters 10 l (5 pcs)	Non-woven Bags 40 l (5 pcs)	Non-woven Bags 25 l (5 pcs)	Non-woven Bags 15 l (5 pcs)	Dirt Bags 40 l (5 pcs)	Dirt Bags 30 l (5 pcs)	Dirt Bags 25 l (5 pcs)	Dirt Bags 20 l (5 pcs)	Dirt Bags 15 l (5 pcs)	Dirt Bags 12 l (5 pcs)	Dirt Bags 10 l (5 pcs)	Long Crevice Nozzle (1 pc)	Small Universal Nozzle (1 pc)	Universal Floor Nozzle (1 pc)	Hard Upholstery Brush (1 pc)	Soft Upholstery Brush (1 pc)	Round Carpet Brush (1 pc)	Set of Nozzles I (3-piece)	Set of Nozzles II (3-piece)	Car Cleaning Set (6-piece)	Extension Hose (5-piece)	Accessories Kit (5-piece)	Fine Ash Filter 18 l (1 pc)	Ash Filter 12 l (1 pc)	
TC-VC 18/20 Li S	23.471.30	-	-	●	●	●	-	-	●	-	-	-	-	●	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	-	-
TC-VC 1820 SA	23.424.25	-	●	●	●	●	-	-	●	-	-	-	-	●	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●
TE-VC 1820	23.423.41	-	●	●	●	●	-	-	●	-	-	-	-	●	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●
TC-VC 1820 S	23.421.67	-	-	●	●	●	-	-	●	-	-	-	-	●	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●
TC-VC 1820 S Kit	23.421.75	-	-	●	●	●	-	-	●	-	-	-	-	●	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●
TC-VC 1815 S	23.423.90	-	-	-	●	-	-	-	●	-	-	-	-	-	●	-	-	●	●	●	●	●	●	●	●	●	-	-	●	-	-
TC-VC 1815	23.402.90	-	-	-	●	-	-	-	●	-	-	-	-	-	●	-	-	●	●	●	●	●	●	●	●	●	-	●	-	●	-
TC-VC 1812 S	23.423.70	-	-	-	●	-	-	-	●	-	-	-	-	-	●	-	-	●	●	●	●	●	●	●	●	●	-	-	●	-	-
TE-VC 18/10 Li	23.471.60	-	-	-	●	-	●	-	-	-	-	-	-	-	-	●	●	●	●	●	●	●	●	●	●	-	-	-	●	-	-
TE-VC 18 Li	23.471.20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	●	●	●	●	●	●	●	●	●	●	-	-	-	●	-	-

## ASH VACUUM CLEANERS



**CLASSIC**



**CLASSIC**

	<b>TC-AV 1620 DW</b>	<b>TC-AV 1618 D</b>
Mains connection	220 - 240 V ~ 50/60 Hz	220 - 240 V ~ 50/60 Hz
Rated input	1250 W	1200 W
Suction power	165 mbar	160 mbar
Tank volume	20 l	18 l
Suction hose length	120 cm	100 cm
Suction hose diameter	36 mm	36 mm
Product weight	4.6 kg	3.9 kg
Carry handle	•	•
Castors	•	-
Cable rewind	•	•
Pleated filter	•	•
Additional pre-filter	•	•
Packaging	Colour box	Colour box
Article number	23.516.65	23.516.60



## ASH VACUUM CLEANERS ACCESSORIES



### Screw-on Pleated Filter AV

Items supplied

1 pc

Suitable for

TC-AV 1620 DW / TC-AV 1618 D

Article number

23.513.10

## ASH VACUUM CLEANERS ACCESSORIES



### Pre-Filter AV

Items supplied

1 pc

Suitable for

TC-AV 1620 DW / TC-AV 1618 D

Article number

23.513.15





BMW i Motorsport  
Official Main Partner



# WET/DRY VACUUM CLEANERS AND ASH VACUUM CLEANERS

## Einhell Germany AG

Wiesenweg 22  
94405 Landau/Isar  
Germany

info@einhell.de  
www.einhell.de

## Einhell-Service

Eschenstr. 6  
94405 Landau/Isar  
Germany

Tel. +49 (0) 9951 959 2000

Service-DE@einhell.com  
www.einhell-service.com



einhell.de  
>>>